





|  |   |
|--|---|
| <b>Zend Extension Build</b>                | API220090626,NTS  |
| <b>PHP Extension Build</b>                 | API20090626,NTS   |
| <b>Debug Build</b>                         | no  |
| <b>Thread Safety</b>                       | disabled  |
| <b>Zend Memory Manager</b>                 | enabled   |
| <b>Zend Multibyte Support</b>              | disabled  |
| <b>IPv6 Support</b>                        | enabled   |
| <b>Registered PHP Streams</b>              | https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip   |
| <b>Registered Stream Socket Transports</b> | tcp, udp, unix, udg, ssl, sslv3, sslv2, tls   |
| <b>Registered Stream Filters</b>           | zlib.*, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk |

This server is protected with the Suhosin Patch 0.9.10   
 Copyright (c) 2006-2007 [Hardened-PHP Project](#) Copyright (c) 2007-2012 [SektionEins GmbH](#)

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.3.0, Copyright (c) 1998-2012 Zend Technologies 

## PHP Credits

## Configuration

### bcmath

|                       |         |
|-----------------------|---------|
| <b>BCMath support</b> | enabled |
|-----------------------|---------|

| Directive           | Local Value | Master Value |
|---------------------|-------------|--------------|
| <b>bcmath.scale</b> | 0           | 0            |

### bz2

|                               |                   |
|-------------------------------|-------------------|
| <b>BZip2 Support</b>          | Enabled           |
| <b>Stream Wrapper support</b> | compress.bzip2:// |

|                       |                                  |
|-----------------------|----------------------------------|
| Stream Filter support | bzip2.decompress, bzip2.compress |
| BZip2 Version         | 1.0.3, 15-Feb-2005               |

## calendar

|                  |         |
|------------------|---------|
| Calendar support | enabled |
|------------------|---------|

## cgi-fcgi

| Directive               | Local Value     | Master Value    |
|-------------------------|-----------------|-----------------|
| cgi.check_shebang_line  | 1               | 1               |
| cgi.discard_path        | 0               | 0               |
| cgi.fix_pathinfo        | 1               | 1               |
| cgi.force_redirect      | 1               | 1               |
| cgi.nph                 | 0               | 0               |
| cgi.redirect_status_env | <i>no value</i> | <i>no value</i> |
| cgi.rfc2616_headers     | 0               | 0               |
| fastcgi.logging         | 1               | 1               |

## Core

|             |       |
|-------------|-------|
| PHP Version | 5.3.9 |
|-------------|-------|

| Directive                      | Local Value     | Master Value    |
|--------------------------------|-----------------|-----------------|
| allow_call_time_pass_reference | On              | On              |
| allow_url_fopen                | On              | On              |
| allow_url_include              | Off             | Off             |
| always_populate_raw_post_data  | Off             | Off             |
| arg_separator.input            | &               | &               |
| arg_separator.output           | &               | &               |
| asp_tags                       | Off             | Off             |
| auto_append_file               | <i>no value</i> | <i>no value</i> |
| auto_globals_jit               | On              | On              |
| auto_prepend_file              | <i>no value</i> | <i>no value</i> |
| browscap                       | <i>no value</i> | <i>no value</i> |
| default_charset                | UTF-8           | UTF-8           |
| default_mimetype               | text/html       | text/html       |
| define_syslog_variables        | Off             | Off             |
| disable_classes                | <i>no value</i> | <i>no value</i> |
| disable_functions              | <i>no value</i> | <i>no value</i> |
| display_errors                 | On              | On              |
|                                |                 |                 |

|                             |   |   |
|-----------------------------|---|---|
| display_startup_errors      | Off   | Off   |
| doc_root                    | <i>no value</i>                                       | <i>no value</i>                                       |
| docref_ext                  | <i>no value</i>                                       | <i>no value</i>                                       |
| docref_root                 | <i>no value</i>                                       | <i>no value</i>                                       |
| enable_dl                   | On  | On  |
| error_append_string         | <i>no value</i>                                       | <i>no value</i>                                       |
| error_log                   | <i>no value</i>                                       | <i>no value</i>                                       |
| error_prepend_string        | <i>no value</i>                                       | <i>no value</i>                                       |
| error_reporting             | <i>no value</i>                                       | <i>no value</i>                                       |
| exit_on_timeout             | Off   | Off   |
| expose_php                  | On  | On  |
| extension_dir               | /usr/php/53/usr/lib64/php/modules                     | /usr/php/53/usr/lib64/php/modules                     |
| file_uploads                | On  | On  |
| highlight.bg                | #FFFFFF   | #FFFFFF   |
| highlight.comment           | #FF8000   | #FF8000   |
| highlight.default           | #0000BB   | #0000BB   |
| highlight.html              | #000000   | #000000   |
| highlight.keyword           | #007700   | #007700   |
| highlight.string            | #DD0000   | #DD0000   |
| html_errors                 | On  | On  |
| ignore_repeated_errors      | Off   | Off   |
| ignore_repeated_source      | Off   | Off   |
| ignore_user_abort           | Off   | Off   |
| implicit_flush              | Off   | Off   |
| include_path                | ./usr/php/53/usr/share/pear:/usr/php/53/usr/share/php | ./usr/php/53/usr/share/pear:/usr/php/53/usr/share/php |
| log_errors                  | Off   | Off   |
| log_errors_max_len          | 1024  | 1024  |
| magic_quotes_gpc            | Off   | Off   |
| magic_quotes_runtime        | Off   | Off   |
| magic_quotes_sybase         | Off   | Off   |
| mail.add_x_header           | Off   | Off   |
| mail.force_extra_parameters | <i>no value</i>                                       | <i>no value</i>                                       |
| mail.log                    | <i>no value</i>                                       | <i>no value</i>                                       |
| max_execution_time          | 600   | 600   |
| max_file_uploads            | 20  | 20  |
| max_input_nesting_level     | 64  | 64  |
| max_input_time              | -1  | -1  |
| max_input_vars              | 1000  | 1000  |
| memory_limit                | 128M  | 128M  |
| open_basedir                | <i>no value</i>                                       | <i>no value</i>                                       |
| output_buffering            | 0   | 0   |
| output_handler              | <i>no value</i>                                       | <i>no value</i>                                       |
|                             |   |   |

|                           |                          |                          |
|---------------------------|--------------------------|--------------------------|
| post_max_size             | 8M                       | 8M                       |
| precision                 | 14                       | 14                       |
| realpath_cache_size       | 16K                      | 16K                      |
| realpath_cache_ttl        | 120                      | 120                      |
| register_argc_argv        | On                       | On                       |
| register_globals          | Off                      | Off                      |
| register_long_arrays      | On                       | On                       |
| report_memleaks           | On                       | On                       |
| report zend_debug         | On                       | On                       |
| request_order             | <i>no value</i>          | <i>no value</i>          |
| safe_mode                 | Off                      | Off                      |
| safe_mode_exec_dir        | /usr/php/53/usr/bin      | /usr/php/53/usr/bin      |
| safe_mode_gid             | Off                      | Off                      |
| safe_mode_include_dir     | <i>no value</i>          | <i>no value</i>          |
| sendmail_from             | <i>no value</i>          | <i>no value</i>          |
| sendmail_path             | /usr/sbin/sendmail -t -i | /usr/sbin/sendmail -t -i |
| serialize_precision       | 17                       | 17                       |
| short_open_tag            | On                       | On                       |
| SMTP                      | localhost                | localhost                |
| smtp_port                 | 25                       | 25                       |
| sql.safe_mode             | Off                      | Off                      |
| track_errors              | Off                      | Off                      |
| unserialize_callback_func | <i>no value</i>          | <i>no value</i>          |
| upload_max_filesize       | 50M                      | 50M                      |
| upload_tmp_dir            | <i>no value</i>          | <i>no value</i>          |
| user_dir                  | <i>no value</i>          | <i>no value</i>          |
| user_ini.cache_ttl        | 300                      | 300                      |
| user_ini.filename         | .user.ini                | .user.ini                |
| variables_order           | EGPCS                    | EGPCS                    |
| xmlrpc_error_number       | 0                        | 0                        |
| xmlrpc_errors             | Off                      | Off                      |
| y2k_compliance            | On                       | On                       |
| zend.enable_gc            | On                       | On                       |

## ctype

|                 |         |
|-----------------|---------|
| ctype functions | enabled |
|-----------------|---------|

## curl

|              |         |
|--------------|---------|
| cURL support | enabled |
| cURL         | 7.21.7  |

|                      |   |
|----------------------|---|
| <b>Information</b>   |   |
| <b>Age</b>           | 3   |
| <b>Features</b>      |   |
| <b>AsynchDNS</b>     | No  |
| <b>Debug</b>         | No  |
| <b>GSS-Negotiate</b> | Yes   |
| <b>IDN</b>           | Yes   |
| <b>IPv6</b>          | Yes   |
| <b>Largefile</b>     | Yes   |
| <b>NTLM</b>          | Yes   |
| <b>SPNEGO</b>        | No  |
| <b>SSL</b>           | Yes   |
| <b>SSPI</b>          | No  |
| <b>krb4</b>          | No  |
| <b>libz</b>          | Yes   |
| <b>CharConv</b>      | No  |
| <b>Protocols</b>     | dict, file, ftp, ftps, gopher, http, https, imap, imaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp |
| <b>Host</b>          | x86_64-redhat-linux-gnu   |
| <b>SSL Version</b>   | OpenSSL/0.9.8b  |
| <b>ZLib Version</b>  | 1.2.3   |

## date

|  |                 |
|--|-----------------|
| <b>date/time support</b>                 | enabled         |
| <b>"Olson" Timezone Database Version</b> | 0.system        |
| <b>Timezone Database</b>                 | internal        |
| <b>Default timezone</b>                  | America/Chicago |

| Directive                     | Local Value     | Master Value    |
|-------------------------------|-----------------|-----------------|
| <b>date.default_latitude</b>  | 31.7667         | 31.7667         |
| <b>date.default_longitude</b> | 35.2333         | 35.2333         |
| <b>date.sunrise_zenith</b>    | 90.583333       | 90.583333       |
| <b>date.sunset_zenith</b>     | 90.583333       | 90.583333       |
| <b>date.timezone</b>          | America/Chicago | America/Chicago |

## dba

|                           |                                   |
|---------------------------|-----------------------------------|
| <b>DBA support</b>        | enabled                           |
| <b>Supported handlers</b> | cdb cdb_make db4 inifile flatfile |

| Directive | Local Value | Master Value |
|-----------|-------------|--------------|
|           |             |              |

|                     |          |          |
|---------------------|----------|----------|
| dba.default_handler | flatfile | flatfile |
|---------------------|----------|----------|

## dom

|                     |          |
|---------------------|----------|
| DOM/XML             | enabled  |
| DOM/XML API Version | 20031129 |
| libxml Version      | 2.7.8    |
| HTML Support        | enabled  |
| XPath Support       | enabled  |
| XPointer Support    | enabled  |
| Schema Support      | enabled  |
| RelaxNG Support     | enabled  |

## enchant

| enchant support | enabled               |
|-----------------|-----------------------|
| Version         | 1.1.0                 |
| Revision        | \$Revision: 321634 \$ |

|        |                 |   |
|--------|-----------------|---|
| mypell | Mypell Provider | /usr/lib64/enchant/libenchant_mypell.so |
| aspell | Aspell Provider | /usr/lib64/enchant/libenchant_aspell.so |

## ereg

|               |                         |
|---------------|-------------------------|
| Regex Library | Bundled library enabled |
|---------------|-------------------------|

## exif

|                        |  |
|------------------------|--|
| EXIF Support           | enabled  |
| EXIF Version           | 1.4 \$Id: exif.c 321634 2012-01-01 13:15:04Z felipe \$ |
| Supported EXIF Version | 0220   |
| Supported filetypes    | JPEG,TIFF  |

| Directive                    | Local Value     | Master Value    |
|------------------------------|-----------------|-----------------|
| exif.decode_jis_intel        | JIS             | JIS             |
| exif.decode_jis_motorola     | JIS             | JIS             |
| exif.decode_unicode_intel    | UCS-2LE         | UCS-2LE         |
| exif.decode_unicode_motorola | UCS-2BE         | UCS-2BE         |
| exif.encode_jis              | <i>no value</i> | <i>no value</i> |
| exif.encode_unicode          | ISO-8859-15     | ISO-8859-15     |

## fileinfo

| fileinfo support | enabled   |
|------------------|-----------|
| version          | 1.0.5-dev |

## filter

|                                |                       |
|--------------------------------|-----------------------|
| Input Validation and Filtering | enabled               |
| Revision                       | \$Revision: 321634 \$ |

| Directive            | Local Value     | Master Value    |
|----------------------|-----------------|-----------------|
| filter.default       | unsafe_raw      | unsafe_raw      |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

## ftp

|             |         |
|-------------|---------|
| FTP support | enabled |
|-------------|---------|

## gd

|                    |                             |
|--------------------|-----------------------------|
| GD Support         | enabled                     |
| GD Version         | bundled (2.0.34 compatible) |
| FreeType Support   | enabled                     |
| FreeType Linkage   | with freetype               |
| FreeType Version   | 2.2.1                       |
| T1Lib Support      | enabled                     |
| GIF Read Support   | enabled                     |
| GIF Create Support | enabled                     |
| JPEG Support       | enabled                     |
| libJPEG Version    | 6b                          |
| PNG Support        | enabled                     |
| libPNG Version     | 1.2.10                      |
| WBMP Support       | enabled                     |
| XPM Support        | enabled                     |
| XBM Support        | enabled                     |

| Directive              | Local Value | Master Value |
|------------------------|-------------|--------------|
| gd.jpeg_ignore_warning | 0           | 0            |

## gettext

|  |  |
|--|--|
|  |  |
|--|--|



|                 |         |
|-----------------|---------|
| GetText Support | enabled |
|-----------------|---------|

## gmp

|             |         |
|-------------|---------|
| gmp support | enabled |
| GMP version | 4.1.4   |

## hash

|                 |  |
|-----------------|--|
| hash support    | enabled  |
| Hashing Engines | md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

## iconv

|                       |         |
|-----------------------|---------|
| iconv support         | enabled |
| iconv implementation  | glibc   |
| iconv library version | 2.5     |

| Directive               | Local Value | Master Value |
|-------------------------|-------------|--------------|
| iconv.input_encoding    | ISO-8859-1  | ISO-8859-1   |
| iconv.internal_encoding | ISO-8859-1  | ISO-8859-1   |
| iconv.output_encoding   | ISO-8859-1  | ISO-8859-1   |

## imap

|                       |         |
|-----------------------|---------|
| IMAP c-Client Version | 2004    |
| SSL Support           | enabled |
| Kerberos Support      | enabled |

## intl

|                              |         |
|------------------------------|---------|
| Internationalization support | enabled |
| version                      | 1.1.0   |
| ICU version                  | 3.6     |

| Directive           | Local Value     | Master Value    |
|---------------------|-----------------|-----------------|
| intl.default_locale | <i>no value</i> | <i>no value</i> |
|                     |                 |                 |

|                  |   |   |
|------------------|---|---|
| intl.error_level | 0 | 0 |
|------------------|---|---|

## json

|              |         |
|--------------|---------|
| json support | enabled |
| json version | 1.2.1   |

## ldap

|                |  |
|----------------|--|
| LDAP Support   | enabled  |
| RCS Version    | \$Id: ldap.c 321634 2012-01-01 13:15:04Z felipe \$ |
| Total Links    | 0/unlimited  |
| API Version    | 3001   |
| Vendor Name    | OpenLDAP   |
| Vendor Version | 20343  |
| SASL Support   | Enabled  |

| Directive      | Local Value | Master Value |
|----------------|-------------|--------------|
| ldap.max_links | Unlimited   | Unlimited    |

## libxml

|                         |         |
|-------------------------|---------|
| libXML support          | active  |
| libXML Compiled Version | 2.7.8   |
| libXML Loaded Version   | 20708   |
| libXML streams          | enabled |

## mbstring

|                                 |          |
|---------------------------------|----------|
| Multibyte Support               | enabled  |
| Multibyte string engine         | libmbfl  |
| HTTP input encoding translation | disabled |

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

|   |         |
|---|---------|
| Multibyte (japanese) regex support          | enabled |
| Multibyte regex (oniguruma) backtrack check | On      |
| Multibyte regex (oniguruma) version         | 4.7.1   |

| Directive             | Local Value | Master Value |
|-----------------------|-------------|--------------|
| mbstring.detect_order | no value    | no value     |

|  |                                |                                |
|--|--------------------------------|--------------------------------|
| <b>mbstring.encoding_translation</b>       | Off                            | Off                            |
| <b>mbstring.func_overload</b>              | 0                              | 0                              |
| <b>mbstring.http_input</b>                 | pass                           | pass                           |
| <b>mbstring.http_output</b>                | pass                           | pass                           |
| <b>mbstring.http_output_conv_mimetypes</b> | ^(text/application/xhtml\+xml) | ^(text/application/xhtml\+xml) |
| <b>mbstring.internal_encoding</b>          | <i>no value</i>                | <i>no value</i>                |
| <b>mbstring.language</b>                   | neutral                        | neutral                        |
| <b>mbstring.strict_detection</b>           | Off                            | Off                            |
| <b>mbstring.substitute_character</b>       | <i>no value</i>                | <i>no value</i>                |

## mcrypt

|                              |  |
|------------------------------|--|
| <b>mcrypt support</b>        | <b>enabled</b>   |
| <b>mcrypt_filter support</b> | <b>enabled</b>   |
| <b>Version</b>               | 2.5.8  |
| <b>Api No</b>                | 20021217   |
| <b>Supported ciphers</b>     | cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes |
| <b>Supported modes</b>       | cbc cfb ctr ecb ncfb nofb ofb stream   |

| Directive                    | Local Value     | Master Value    |
|------------------------------|-----------------|-----------------|
| <b>mcrypt.algorithms_dir</b> | <i>no value</i> | <i>no value</i> |
| <b>mcrypt.modes_dir</b>      | <i>no value</i> | <i>no value</i> |

## mhash

|                          |                  |
|--------------------------|------------------|
| <b>MHASH support</b>     | Enabled          |
| <b>MHASH API Version</b> | Emulated Support |

## mysql

|                                |                            |
|--------------------------------|----------------------------|
| <b>MySQL Support</b>           | <b>enabled</b>             |
| <b>Active Persistent Links</b> | 0                          |
| <b>Active Links</b>            | 0                          |
| <b>Client API version</b>      | 5.1.60                     |
| <b>MYSQL_MODULE_TYPE</b>       | external                   |
| <b>MYSQL_SOCKET</b>            | /var/lib/mysql/mysql.sock  |
| <b>MYSQL_INCLUDE</b>           | -I/usr/include/mysql       |
| <b>MYSQL_LIBS</b>              | -L/usr/lib64 -lmysqlclient |

| Directive                | Local Value               | Master Value              |
|--------------------------|---------------------------|---------------------------|
| mysql.allow_local_infile | On                        | On                        |
| mysql.allow_persistent   | On                        | On                        |
| mysql.connect_timeout    | 20                        | 20                        |
| mysql.default_host       | <i>no value</i>           | <i>no value</i>           |
| mysql.default_password   | <i>no value</i>           | <i>no value</i>           |
| mysql.default_port       | <i>no value</i>           | <i>no value</i>           |
| mysql.default_socket     | /var/lib/mysql/mysql.sock | /var/lib/mysql/mysql.sock |
| mysql.default_user       | <i>no value</i>           | <i>no value</i>           |
| mysql.max_links          | Unlimited                 | Unlimited                 |
| mysql.max_persistent     | Unlimited                 | Unlimited                 |
| mysql.trace_mode         | Off                       | Off                       |

## mysqli

| Mysqli Support             | enabled                   |
|----------------------------|---------------------------|
| Client API library version | 5.1.60                    |
| Active Persistent Links    | 0                         |
| Inactive Persistent Links  | 0                         |
| Active Links               | 0                         |
| Client API header version  | 5.1.60                    |
| MYSQLI_SOCKET              | /var/lib/mysql/mysql.sock |

| Directive                 | Local Value               | Master Value              |
|---------------------------|---------------------------|---------------------------|
| mysqli.allow_local_infile | On                        | On                        |
| mysqli.allow_persistent   | On                        | On                        |
| mysqli.default_host       | <i>no value</i>           | <i>no value</i>           |
| mysqli.default_port       | 3306                      | 3306                      |
| mysqli.default_pw         | <i>no value</i>           | <i>no value</i>           |
| mysqli.default_socket     | /var/lib/mysql/mysql.sock | /var/lib/mysql/mysql.sock |
| mysqli.default_user       | <i>no value</i>           | <i>no value</i>           |
| mysqli.max_links          | Unlimited                 | Unlimited                 |
| mysqli.max_persistent     | Unlimited                 | Unlimited                 |
| mysqli.reconnect          | Off                       | Off                       |

## odbc

| ODBC Support            | enabled        |
|-------------------------|----------------|
| Active Persistent Links | 0              |
| Active Links            | 0              |
| ODBC library            | unixODBC       |
| ODBC_INCLUDE            | -l/usr/include |

|                    |              |
|--------------------|--------------|
| <b>ODBC_LFLAGS</b> | -L/usr/lib64 |
| <b>ODBC_LIBS</b>   | -lodbc       |

| <b>Directive</b>               | <b>Local Value</b>      | <b>Master Value</b>     |
|--------------------------------|-------------------------|-------------------------|
| <b>odbc.allow_persistent</b>   | On                      | On                      |
| <b>odbc.check_persistent</b>   | On                      | On                      |
| <b>odbc.default_cursortype</b> | Static cursor           | Static cursor           |
| <b>odbc.default_db</b>         | <i>no value</i>         | <i>no value</i>         |
| <b>odbc.default_pw</b>         | <i>no value</i>         | <i>no value</i>         |
| <b>odbc.default_user</b>       | <i>no value</i>         | <i>no value</i>         |
| <b>odbc.defaultbinmode</b>     | return as is            | return as is            |
| <b>odbc.defaultlrl</b>         | return up to 4096 bytes | return up to 4096 bytes |
| <b>odbc.max_links</b>          | Unlimited               | Unlimited               |
| <b>odbc.max_persistent</b>     | Unlimited               | Unlimited               |

## openssl

|                                |                                       |
|--------------------------------|---------------------------------------|
| <b>OpenSSL support</b>         | enabled                               |
| <b>OpenSSL Library Version</b> | OpenSSL 0.9.8e-fips-rhel5 01 Jul 2008 |
| <b>OpenSSL Header Version</b>  | 0.9.8r                                |

## pcntl

|                      |         |
|----------------------|---------|
| <b>pcntl support</b> | enabled |
|----------------------|---------|

## pcre

|   |                 |
|---|-----------------|
| <b>PCRE (Perl Compatible Regular Expressions) Support</b> | enabled         |
| <b>PCRE Library Version</b>                               | 8.12 2011-01-15 |

| <b>Directive</b>            | <b>Local Value</b> | <b>Master Value</b> |
|-----------------------------|--------------------|---------------------|
| <b>pcre.backtrack_limit</b> | 1000000            | 1000000             |
| <b>pcre.recursion_limit</b> | 100000             | 100000              |

## PDO

|                    |  |
|--------------------|--|
| <b>PDO support</b> | enabled                                    |
| <b>PDO drivers</b> | dblib, mysql, odbc, pgsql, sqlite, sqlite2 |

## pdo\_dblib

---

|   |                |
|---|----------------|
| <b>PDO Driver for FreeTDS/Sybase DB-lib</b> | <b>enabled</b> |
| Flavour                                     | freetds        |

## pdo\_mysql

|                             |                |
|-----------------------------|----------------|
| <b>PDO Driver for MySQL</b> | <b>enabled</b> |
| Client API version          | 5.1.60         |

| Directive                | Local Value               | Master Value              |
|--------------------------|---------------------------|---------------------------|
| pdo_mysql.default_socket | /var/lib/mysql/mysql.sock | /var/lib/mysql/mysql.sock |

## PDO\_ODBC

|                                       |                          |
|---------------------------------------|--------------------------|
| <b>PDO Driver for ODBC (unixODBC)</b> | <b>enabled</b>           |
| ODBC Connection Pooling               | Enabled, strict matching |

## pdo\_pgsql

|                                  |   |
|----------------------------------|---|
| <b>PDO Driver for PostgreSQL</b> | <b>enabled</b>  |
| PostgreSQL(libpq) Version        | 8.4.9   |
| Module version                   | 1.0.2   |
| Revision                         | \$Id: pdo_pgsql.c 321634 2012-01-01 13:15:04Z felipe \$ |

## pdo\_sqlite

|                                  |                |
|----------------------------------|----------------|
| <b>PDO Driver for SQLite 3.x</b> | <b>enabled</b> |
| SQLite Library                   | 3.7.7.1        |

## pgsql

|                             |                |
|-----------------------------|----------------|
| <b>PostgreSQL Support</b>   | <b>enabled</b> |
| PostgreSQL(libpq) Version   | 8.4.9          |
| Multibyte character support | enabled        |
| SSL support                 | enabled        |
| Active Persistent Links     | 0              |
| Active Links                | 0              |

| Directive                   | Local Value | Master Value |
|-----------------------------|-------------|--------------|
| pgsql.allow_persistent      | On          | On           |
| pgsql.auto_reset_persistent | Off         | Off          |
| pgsql.ignore_notice         | Off         | Off          |

|                             |           |           |
|-----------------------------|-----------|-----------|
| <b>pgsql.log_notice</b>     | Off       | Off       |
| <b>pgsql.max_links</b>      | Unlimited | Unlimited |
| <b>pgsql.max_persistent</b> | Unlimited | Unlimited |

## Phar

|                                  |                       |
|----------------------------------|-----------------------|
| <b>Phar: PHP Archive support</b> | <b>enabled</b>        |
| <b>Phar EXT version</b>          | 2.0.1                 |
| <b>Phar API version</b>          | 1.1.1                 |
| <b>SVN revision</b>              | \$Revision: 321634 \$ |
| <b>Phar-based phar archives</b>  | enabled               |
| <b>Tar-based phar archives</b>   | enabled               |
| <b>ZIP-based phar archives</b>   | enabled               |
| <b>gzip compression</b>          | enabled               |
| <b>bzip2 compression</b>         | enabled               |
| <b>Native OpenSSL support</b>    | enabled               |

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| <b>Directive</b>         | <b>Local Value</b> | <b>Master Value</b> |
|--------------------------|--------------------|---------------------|
| <b>phar.cache_list</b>   | <i>no value</i>    | <i>no value</i>     |
| <b>phar.readonly</b>     | On                 | On                  |
| <b>phar.require_hash</b> | On                 | On                  |

## posix

|                 |                       |
|-----------------|-----------------------|
| <b>Revision</b> | \$Revision: 321634 \$ |
|-----------------|-----------------------|

## pspell

|                       |         |
|-----------------------|---------|
| <b>PSpell Support</b> | enabled |
|-----------------------|---------|

## recode

|                       |                       |
|-----------------------|-----------------------|
| <b>Recode Support</b> | enabled               |
| <b>Revision</b>       | \$Revision: 321634 \$ |

## Reflection

|  |  |
|--|--|
|  |  |
|--|--|

|                   |                       |
|-------------------|-----------------------|
| <b>Reflection</b> | <b>enabled</b>        |
| <b>Version</b>    | \$Revision: 321634 \$ |

## session

|                                       |                     |
|---------------------------------------|---------------------|
| <b>Session Support</b>                | enabled             |
| <b>Registered save handlers</b>       | files user sqlite   |
| <b>Registered serializer handlers</b> | php php_binary wddx |

| Directive                       | Local Value     | Master Value    |
|---------------------------------|-----------------|-----------------|
| session.auto_start              | Off             | Off             |
| session.bug_compat_42           | On              | On              |
| session.bug_compat_warn         | On              | On              |
| session.cache_expire            | 180             | 180             |
| session.cache_limiter           | nocache         | nocache         |
| session.cookie_domain           | <i>no value</i> | <i>no value</i> |
| session.cookie_httponly         | Off             | Off             |
| session.cookie_lifetime         | 0               | 0               |
| session.cookie_path             | /               | /               |
| session.cookie_secure           | Off             | Off             |
| session.entropy_file            | <i>no value</i> | <i>no value</i> |
| session.entropy_length          | 0               | 0               |
| session.gc_divisor              | 100             | 100             |
| session.gc_maxlifetime          | 12000000        | 12000000        |
| session.gc_probability          | 1               | 1               |
| session.hash_bits_per_character | 4               | 4               |
| session.hash_function           | 0               | 0               |
| session.name                    | PHPSESSID       | PHPSESSID       |
| session.referer_check           | <i>no value</i> | <i>no value</i> |
| session.save_handler            | files           | files           |
| session.save_path               | <i>no value</i> | <i>no value</i> |
| session.serialize_handler       | php             | php             |
| session.use_cookies             | On              | On              |
| session.use_only_cookies        | On              | On              |
| session.use_trans_sid           | <i>no value</i> | <i>no value</i> |

## shmop

|                      |         |
|----------------------|---------|
| <b>shmop support</b> | enabled |
|----------------------|---------|



|                          |                       |
|--------------------------|-----------------------|
| <b>Simplexml support</b> | <b>enabled</b>        |
| <b>Revision</b>          | \$Revision: 321634 \$ |
| <b>Schema support</b>    | enabled               |

## soap

|                    |         |
|--------------------|---------|
| <b>Soap Client</b> | enabled |
| <b>Soap Server</b> | enabled |

| Directive               | Local Value | Master Value |
|-------------------------|-------------|--------------|
| soap.wSDL_cache         | 1           | 1            |
| soap.wSDL_cache_dir     | /tmp        | /tmp         |
| soap.wSDL_cache_enabled | 1           | 1            |
| soap.wSDL_cache_limit   | 5           | 5            |
| soap.wSDL_cache_ttl     | 86400       | 86400        |

## sockets

|                        |         |
|------------------------|---------|
| <b>Sockets Support</b> | enabled |
|------------------------|---------|

## SPL

|                    |  |
|--------------------|--|
| <b>SPL support</b> | <b>enabled</b>   |
| <b>Interfaces</b>  | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject   |
| <b>Classes</b>     | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException |

## SQLite

|                            |  |
|----------------------------|--|
| <b>SQLite support</b>      | <b>enabled</b>   |
| <b>PECL Module version</b> | 2.0-dev \$Id: sqlite.c 321634 2012-01-01 13:15:04Z felipe \$ |
| <b>SQLite Library</b>      | 2.8.17   |
| <b>SQLite Encoding</b>     | iso8859  |

| Directive | Local Value | Master Value |
|-----------|-------------|--------------|
|-----------|-------------|--------------|

|                   |   |   |
|-------------------|---|---|
| sqlite.assoc_case | 0 | 0 |
|-------------------|---|---|

## sqlite3

|                        |         |
|------------------------|---------|
| SQLite3 support        | enabled |
| SQLite3 module version | 0.7-dev |
| SQLite Library         | 3.7.7.1 |

| Directive             | Local Value     | Master Value    |
|-----------------------|-----------------|-----------------|
| sqlite3.extension_dir | <i>no value</i> | <i>no value</i> |

## standard

|                         |                          |
|-------------------------|--------------------------|
| Dynamic Library Support | enabled                  |
| Path to sendmail        | /usr/sbin/sendmail -t -i |

| Directive                    | Local Value                                | Master Value                               |
|------------------------------|--|--|
| assert.active                | 1  | 1  |
| assert.bail                  | 0  | 0  |
| assert.callback              | <i>no value</i>                            | <i>no value</i>                            |
| assert.quiet_eval            | 0  | 0  |
| assert.warning               | 1  | 1  |
| auto_detect_line_endings     | 0  | 0  |
| default_socket_timeout       | 60   | 60   |
| from                         | <i>no value</i>                            | <i>no value</i>                            |
| safe_mode_allowed_env_vars   | PHP_                                       | PHP_                                       |
| safe_mode_protected_env_vars | LD_LIBRARY_PATH                            | LD_LIBRARY_PATH                            |
| url_rewriter.tags            | a=href,area=href,frame=src,form=,fieldset= | a=href,area=href,frame=src,form=,fieldset= |
| user_agent                   | <i>no value</i>                            | <i>no value</i>                            |

## sysvmsg

|                 |                       |
|-----------------|-----------------------|
| sysvmsg support | enabled               |
| Revision        | \$Revision: 321634 \$ |

## tidy

|                   |  |
|-------------------|--|
| Tidy support      | enabled  |
| libTidy Release   | 11 February 2007   |
| Extension Version | 2.0 (\$Id: tidy.c 321634 2012-01-01 13:15:04Z felipe \$) |

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

| Directive           | Local Value     | Master Value    |
|---------------------|-----------------|-----------------|
| tidy.clean_output   | 0               | 0               |
| tidy.default_config | <i>no value</i> | <i>no value</i> |

## tokenizer

|                   |         |
|-------------------|---------|
| Tokenizer Support | enabled |
|-------------------|---------|

## wddx

| WDDX Support            | enabled |
|-------------------------|---------|
| WDDX Session Serializer | enabled |

## xml

|                       |        |
|-----------------------|--------|
| XML Support           | active |
| XML Namespace Support | active |
| libxml2 Version       | 2.7.8  |

## xmlreader

|           |         |
|-----------|---------|
| XMLReader | enabled |
|-----------|---------|

## xmlrpc

|                       |   |
|-----------------------|---|
| core library version  | xmlrpc-epi v. 0.51  |
| php extension version | 0.51  |
| author                | Dan Libby   |
| homepage              | <a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a> |
| open sourced by       | Epinions.com  |

## xmlwriter

|           |         |
|-----------|---------|
| XMLWriter | enabled |
|-----------|---------|

## xsl

|   |         |
|---|---------|
| XSL                                     | enabled |
| libxslt Version                         | 1.1.26  |
| libxslt compiled against libxml Version | 2.7.8   |

|                        |         |
|------------------------|---------|
| <b>EXSLT</b>           | enabled |
| <b>libxslt Version</b> | 1.1.26  |

## zip

|                          |   |
|--------------------------|---|
| <b>Zip</b>               | enabled   |
| <b>Extension Version</b> | \$Id: php_zip.c 321634 2012-01-01 13:15:04Z felipe \$ |
| <b>Zip version</b>       | 1.9.1   |
| <b>Libzip version</b>    | 0.9.0   |

## zlib

|                               |                            |
|-------------------------------|----------------------------|
| <b>ZLib Support</b>           | enabled                    |
| <b>Stream Wrapper support</b> | compress.zlib://           |
| <b>Stream Filter support</b>  | zlib.inflate, zlib.deflate |
| <b>Compiled Version</b>       | 1.2.3                      |
| <b>Linked Version</b>         | 1.2.3                      |

| Directive                            | Local Value     | Master Value    |
|--------------------------------------|-----------------|-----------------|
| <b>zlib.output_compression</b>       | Off             | Off             |
| <b>zlib.output_compression_level</b> | -1              | -1              |
| <b>zlib.output_handler</b>           | <i>no value</i> | <i>no value</i> |

## Additional Modules

| Module Name |
|-------------|
| readline    |
| sysvsem     |
| sysvshm     |

## Environment

| Variable                    | Value  |
|-----------------------------|--|
| <b>DOCUMENT_ROOT</b>        | /home2/[REMOVED]/public_html   |
| <b>GATEWAY_INTERFACE</b>    | CGI/1.1  |
| <b>HTTP_ACCEPT</b>          | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8        |
| <b>HTTP_ACCEPT_CHARSET</b>  | ISO-8859-1,utf-8;q=0.7,*;q=0.7   |
| <b>HTTP_ACCEPT_ENCODING</b> | gzip, deflate  |
| <b>HTTP_ACCEPT_LANGUAGE</b> | en-us,en;q=0.5   |
| <b>HTTP_CONNECTION</b>      | keep-alive   |
| <b>HTTP_COOKIE</b>          | PHPSESSID=18edd6c9aa04f6481e0b99bf2adf80d6; language=en; currency=USD; |

|                  |  |
|------------------|--|
|                  | __utma=41215778.1184403543.1327718914.1327718914.1327718914.1;<br>__utmc=41215778;<br>__utmz=41215778.1327718914.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none) |
| HTTP_HOST        | www.[REMOVED].net  |
| HTTP_USER_AGENT  | Mozilla/5.0 (Windows NT 6.1; WOW64; rv:9.0.1) Gecko/20100101 Firefox/9.0.1   |
| PATH             | /bin:/usr/bin  |
| QUERY_STRING     | <i>no value</i>  |
| REDIRECT_STATUS  | 200  |
| REMOTE_ADDR      | [REMOVED]  |
| REMOTE_PORT      | 54352  |
| REQUEST_METHOD   | GET  |
| REQUEST_URI      | /phpinfo.php   |
| SCRIPT_FILENAME  | /home2/[REMOVED]/public_html/phpinfo.php   |
| SCRIPT_NAME      | /phpinfo.php   |
| SERVER_ADDR      | 67.222.32.195  |
| SERVER_ADMIN     | webmaster@[REMOVED].net  |
| SERVER_NAME      | www.[REMOVED].net  |
| SERVER_PORT      | 80   |
| SERVER_PROTOCOL  | HTTP/1.1   |
| SERVER_SIGNATURE | <address>Apache Server at www.[REMOVED].net Port 80</address>  |
| SERVER_SOFTWARE  | Apache   |
| UNIQUE_ID        | TyNzk0rcz7gAAAJI8AMAAAPX   |
| file_gzip        | /ramdisk/cpub/status   |

## PHP Variables

| Variable                       | Value   |
|--------------------------------|---|
| _REQUEST["PHPSESSID"]          | 18edd6c9aa04f6481e0b99bf2adf80d6                                      |
| _REQUEST["language"]           | en  |
| _REQUEST["currency"]           | USD   |
| _REQUEST["__utma"]             | 41215778.1184403543.1327718914.1327718914.1327718914.1                |
| _REQUEST["__utmc"]             | 41215778  |
| _REQUEST["__utmz"]             | 41215778.1327718914.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none) |
| _COOKIE["PHPSESSID"]           | 18edd6c9aa04f6481e0b99bf2adf80d6                                      |
| _COOKIE["language"]            | en  |
| _COOKIE["currency"]            | USD   |
| _COOKIE["__utma"]              | 41215778.1184403543.1327718914.1327718914.1327718914.1                |
| _COOKIE["__utmc"]              | 41215778  |
| _COOKIE["__utmz"]              | 41215778.1327718914.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none) |
| _SERVER["DOCUMENT_ROOT"]       | /home2/[REMOVED]/public_html  |
| _SERVER["GATEWAY_INTERFACE"]   | CGI/1.1   |
| _SERVER["HTTP_ACCEPT"]         | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8       |
| _SERVER["HTTP_ACCEPT_CHARSET"] | ISO-8859-1,utf-8;q=0.7,*;q=0.7  |

|                                 |   |
|---------------------------------|---|
| _SERVER["HTTP_ACCEPT_ENCODING"] | gzip, deflate   |
| _SERVER["HTTP_ACCEPT_LANGUAGE"] | en-us,en;q=0.5  |
| _SERVER["HTTP_CONNECTION"]      | keep-alive  |
| _SERVER["HTTP_COOKIE"]          | PHPSESSID=18edd6c9aa04f6481e0b99bf2adf80d6; language=en; currency=USD; __utma=41215778.1184403543.1327718914.1327718914.1327718914.1; __utmc=41215778; __utmz=41215778.1327718914.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none) |
| _SERVER["HTTP_HOST"]            | www.[REMOVED].net   |
| _SERVER["HTTP_USER_AGENT"]      | Mozilla/5.0 (Windows NT 6.1; WOW64; rv:9.0.1) Gecko/20100101 Firefox/9.0.1  |
| _SERVER["PATH"]                 | /bin:/usr/bin   |
| _SERVER["QUERY_STRING"]         | <i>no value</i>   |
| _SERVER["REDIRECT_STATUS"]      | 200   |
| _SERVER["REMOTE_ADDR"]          | [REMOVED]   |
| _SERVER["REMOTE_PORT"]          | 54352   |
| _SERVER["REQUEST_METHOD"]       | GET   |
| _SERVER["REQUEST_URI"]          | /phpinfo.php  |
| _SERVER["SCRIPT_FILENAME"]      | /home2/[REMOVED]/public_html/phpinfo.php  |
| _SERVER["SCRIPT_NAME"]          | /phpinfo.php  |
| _SERVER["SERVER_ADDR"]          | 67.222.32.195   |
| _SERVER["SERVER_ADMIN"]         | webmaster@[REMOVED].net   |
| _SERVER["SERVER_NAME"]          | www.[REMOVED].net   |
| _SERVER["SERVER_PORT"]          | 80  |
| _SERVER["SERVER_PROTOCOL"]      | HTTP/1.1  |
| _SERVER["SERVER_SIGNATURE"]     | <address>Apache Server at www.[REMOVED].net Port 80</address>   |
| _SERVER["SERVER_SOFTWARE"]      | Apache  |
| _SERVER["UNIQUE_ID"]            | TyNzk0rcz7gAAAJI8AMAAAPX  |
| _SERVER["file_gzip"]            | /ramdisk/cpud/status  |
| _SERVER["PHP_SELF"]             | /phpinfo.php  |
| _SERVER["REQUEST_TIME"]         | 1327723411  |
| _SERVER["argv"]                 | Array<br>(<br>)   |
| _SERVER["argc"]                 | 0   |
| _ENV["DOCUMENT_ROOT"]           | /home2/[REMOVED]/public_html  |
| _ENV["GATEWAY_INTERFACE"]       | CGI/1.1   |
| _ENV["HTTP_ACCEPT"]             | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8   |
| _ENV["HTTP_ACCEPT_CHARSET"]     | ISO-8859-1,utf-8;q=0.7,*;q=0.7  |
| _ENV["HTTP_ACCEPT_ENCODING"]    | gzip, deflate   |
| _ENV["HTTP_ACCEPT_LANGUAGE"]    | en-us,en;q=0.5  |
| _ENV["HTTP_CONNECTION"]         | keep-alive  |
| _ENV["HTTP_COOKIE"]             | PHPSESSID=18edd6c9aa04f6481e0b99bf2adf80d6; language=en; currency=USD; __utma=41215778.1184403543.1327718914.1327718914.1327718914.1; __utmc=41215778; __utmz=41215778.1327718914.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none) |
| _ENV["HTTP_HOST"]               | www.[REMOVED].net   |

|                          |  |
|--------------------------|--|
| _ENV["HTTP_USER_AGENT"]  | Mozilla/5.0 (Windows NT 6.1; WOW64; rv:9.0.1) Gecko/20100101 Firefox/9.0.1 |
| _ENV["PATH"]             | /bin:/usr/bin  |
| _ENV["QUERY_STRING"]     | <i>no value</i>  |
| _ENV["REDIRECT_STATUS"]  | 200  |
| _ENV["REMOTE_ADDR"]      | [REMOVED]  |
| _ENV["REMOTE_PORT"]      | 54352  |
| _ENV["REQUEST_METHOD"]   | GET  |
| _ENV["REQUEST_URI"]      | /phpinfo.php   |
| _ENV["SCRIPT_FILENAME"]  | /home2/[REMOVED]/public_html/phpinfo.php                                   |
| _ENV["SCRIPT_NAME"]      | /phpinfo.php   |
| _ENV["SERVER_ADDR"]      | 67.222.32.195  |
| _ENV["SERVER_ADMIN"]     | webmaster@[REMOVED].net  |
| _ENV["SERVER_NAME"]      | www.[REMOVED].net  |
| _ENV["SERVER_PORT"]      | 80   |
| _ENV["SERVER_PROTOCOL"]  | HTTP/1.1   |
| _ENV["SERVER_SIGNATURE"] | <address>Apache Server at www.[REMOVED].net Port 80</address>              |
| _ENV["SERVER_SOFTWARE"]  | Apache   |
| _ENV["UNIQUE_ID"]        | TyNzk0rcz7gAAAJI8AMAAAPX   |
| _ENV["file_gzip"]        | /ramdisk/cpud/status   |

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).